



2,560 X 1,250 MM

TABLE SURFACE DIMENSION



Optional Leg Brace Assy.

With Heavy Duty Leg

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMD625125SV	Standard	767	927	680 per leg	450
TME625125SV		617	777		435
TMQD625125SV	Nitrided	767	927		450
TMQE625125SV		617	777		435

Part No.	Leg Brace Assembly for	Weight (kg)
TMLB2630	76 mm Dia. Heavy Duty Legs	11.8

With Adjustable Round Leg - Adjustable at 25 mm increments

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMR625125SV	Standard	565 ~ 819	725 ~ 979	680 per leg	455
TMQR625125SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLB2630	76 mm Dia. Adjustable Legs	11.8

With Adjustable Round Leg & Mobility Caster



Part No.	Finish	Leg + Caster Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMRC625125SV	Standard	685 ~ 940	845 ~ 1,100	300 per leg	470
TMQRC625125SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLB2630	76 mm Dia. Adjustable Legs	11.8

*All load capacities are calculated based on static load.

1,960 X 1,150 MM

TABLE SURFACE DIMENSION



Optional Leg Brace Assy.

With Heavy Duty Leg

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMD62011SV	Standard	767	927	680 per leg	356
TME62011SV		617	777		349
TMQD62011SV	Nitrided	767	927		356
TMQE62011SV		617	777		349

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR20	76 mm Dia. Heavy Duty Legs	10

With Adjustable Round Leg - Adjustable at 25 mm increments

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMR62011SV	Standard	565 ~ 819	725 ~ 979	680 per leg	360
TMQR62011SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR20	76 mm Dia. Adjustable Legs	10

With Adjustable Round Leg & Mobility Caster

Part No.	Finish	Leg + Caster Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMRC62011SV	Standard	685 ~ 940	845 ~ 1,100	300 per leg	375
TMQRC62011SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR20	76 mm Dia. Adjustable Legs	10

*All load capacities are calculated based on static load.

1,960 X 1,000 MM

TABLE SURFACE DIMENSION



Optional Leg Brace Assy.

With Heavy Duty Leg

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMD62010SV	Standard	767	927	680 per leg	316
TME62010SV		617	777		309
TMQD62010SV	Nitrided	767	927		316
TMQE62010SV		617	777		309

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR20	76 mm Dia. Heavy Duty Legs	10

With Adjustable Round Leg - Adjustable at 25 mm increments

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMR62010SV	Standard	565 ~ 819	725 ~ 979	680 per leg	320
TMQR62010SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR20	76 mm Dia. Adjustable Legs	10

With Adjustable Round Leg & Mobility Caster



Part No.	Finish	Leg + Caster Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMRC62010SV	Standard	685 ~ 940	845 ~ 1,100	300 per leg	335
TMQRC62010SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR20	76 mm Dia. Adjustable Legs	10

*All load capacities are calculated based on static load.

1,160 X 1,150 MM

TABLE SURFACE DIMENSION



Optional Leg Brace Assy.

With Heavy Duty Leg

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMD61211SV	Standard	767	927	680 per leg	217
TME61211SV		617	777		211
TMQD61211SV	Nitrided	767	927		217
TMQE61211SV		617	777		211

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR12	76 mm Dia. Heavy Duty Legs	6.8

With Adjustable Round Leg - Adjustable at 25 mm increments

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMR61211SV	Standard	565 ~ 819	725 ~ 979	680 per leg	220
TMQR61211SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR12	76 mm Dia. Adjustable Legs	6.8

With Adjustable Round Leg & Mobility Caster



Part No.	Finish	Leg + Caster Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMRC61211SV	Standard	685 ~ 940	845 ~ 1,100	300 per leg	230
TMQRC61211SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR12	76 mm Dia. Adjustable Legs	6.8

*All load capacities are calculated based on static load.

1,160 X 1,000 MM

TABLE SURFACE DIMENSION



Optional Leg Brace Assy.

With Heavy Duty Leg

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMD61210SV	Standard	767	927	680 per leg	195
TME61210SV		617	777		191
TMQD61210SV	Nitrided	767	927		195
TMQE61210SV		617	777		191

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR12	76 mm Dia. Heavy Duty Legs	6.8

With Adjustable Round Leg - Adjustable at 25 mm increments

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMR61210SV	Standard	565 ~ 819	725 ~ 979	680 per leg	198
TMQR61210SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR12	76 mm Dia. Adjustable Legs	6.8

With Adjustable Round Leg & Mobility Caster




Part No.	Finish	Leg + Caster Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMRC61210SV	Standard	685 ~ 940	845 ~ 1,100	300 per leg	205
TMQRC61210SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR12	76 mm Dia. Adjustable Legs	6.8

*All load capacities are calculated based on static load.

560 X 1,000 MM

TABLE SURFACE DIMENSION



Optional Leg Brace Assy.

With Heavy Duty Leg

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMD60610SV	Standard	767	927	680 per leg	115
TME60610SV		617	777		111
TMQD60610SV	Nitrided	767	927		115
TMQE60610SV		617	777		111

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR06	76 mm Dia. Heavy Duty Legs	5.9

With Adjustable Round Leg - Adjustable at 25 mm increments

Part No.	Finish	Leg + Leveling Pad Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMR60610SV	Standard	565 ~ 819	725 ~ 979	680 per leg	118
TMQR60610SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR06	76 mm Dia. Adjustable Legs	5.9

With Adjustable Round Leg & Mobility Caster

Part No.	Finish	Leg + Caster Height (mm)	Table Surface Height (mm)	* Capacity (kg)	Table Weight (kg)
TMRC60610SV	Standard	685 ~ 940	845 ~ 1,100	300 per leg	125
TMQRC60610SV	Nitrided				

Part No.	Leg Brace Assembly for	Weight (kg)
TMLBR06	76 mm Dia. Adjustable Legs	5.9

*All load capacities are calculated based on static load.